


INTRODUCING THE NEW ALL POWERFUL MAHINDRA S11 AUTOMATIC

PIKUP



THE AUTOMATIC CHOICE

Mahindra
Rise.

Contact Your Nearest Group1 Mahindra Dealership

Mahindra Midrand

Gauteng

087 057 9788

Mahindra Kuils River

Western Cape

021 903 0500

Mahindra Rivonia

Gauteng

011 808 3900

We Deliver Nationwide

www.group1mahindra.co.za

The New Mahindra S11 Pik Up has been designed without compromise to be practical and strong, and loaded with the features you want. Generous on power with superb reliability, the Pik Up has impeccable working credentials, and powered by Mahindra's legendary 2.2 litre, 4-cylinder mHawk turbo-diesel engine. The six-speed automatic transmission delivers an impressive 103 kW of power and 320 Nm of torque, providing effortless acceleration and all the muscle you could ever need with consummate ease. The updated engineering is more fuel efficient too, and low on CO2 emissions - a hallmark of Mahindra's cutting-edge technology. It has all the essential comforts and technological advances you would expect, from the four-speaker touchscreen infotainment centre with Bluetooth, through to static bending headlamps that help you to see around dark corners. This comes with a contemporary new look including a restyled front mask with restyled headlamps and fog lamps.





**SIX-SPEED AUTOMATIC
TRANSMISSION**

**7" CAPACITIVE TOUCHSCREEN
INFOTAINMENT CENTRE**

REVERSE CAMERA

TURN INDICATORS ON ORVMS
(outside rear-view mirrors)

**NEW AGGRESSIVE FRONT
GRILLE**

BOLT-ON CAB PROTECTOR

CRUISE CONTROL
(new on S6)

**UPDATED LOOKS AND
STYLING**

**DISTINCTIVE 5-SPOKE
CHROME ALLOYS**

**UPDATED PROJECTOR
HEADLAMPS**

REVERSE CAMERA
(new on S10)



- 01 - Six-speed automatic transmission provides an easy ride without compromising power when you need it
- 02 - The legendary mHawk turbo-diesel engine.
- 03 - 12V charging points are available in both the front and back rows.
- 04 - Essential controls for phone, audio and cruise functions are at your fingertips on the steering wheel, keeping your hands where they should be.
- 05 - Dual airbags for driver and co-driver
- 06 - Dual projector headlamps with LED eyebrow DRLs (daytime running lamps)
- 07 - The touchscreen infotainment centre provides GPS navigation, Rear park assist, Bluetooth, USB/AUX support and provides the interface for the vehicle management system.

The New Mahindra S11 Pik Up responds to your every need with luxurious interiors, and is loaded with features including the touch screen infotainment system with GPS navigation, and Bluetooth with USB/AUX support.

The vehicle management system provides vehicle related information at your fingertips while the automatic temperature control will maintain the cabin just as you like it.

On the driver's side the easy to read instrument cluster keeps you in-tune with the vital statistics of your drive and journey, and the new steering wheel incorporates cruise control, audio and telephone controls to keep your hands where they should be.

Other advances include the introduction of Micro-hybrid technology that enables the engine to intelligently switch into standby mode when not in use, saving both on fuel and the environment. Rain and light sensors automatically turn the lights on in adverse lighting conditions and your wipers on in the rain. The driver's seat is fully height adjustable to ensure your perfect comfort and ride position.

KAROO



Exclusive to the S11 Karoo:

**SECURE ROLLER SHUTTER
TONNEAU COVER**

RUBBERISED BIN

**DIFFERENTIATED KAROO
BRANDING**

**UPDATED ROLL AND NUDGE
BARS WITH LASER-CUT
BRANDING PLATES**

**DISTINCTIVE BLACK AND
CHROME ALLOYS**

| Style features | S6 4X2 & 4X4 | S10 4X2 & 4X4 | S11 4X2 & 4X4 |
|---------------------------|--------------|---------------|---------------|
| Front fog lamps | • | • | • |
| Dual projector headlamps | • | • | • |
| High-level brake light | • | • | • |
| Heated rear window | - | • | • |
| Colour-coded bumpers | • | • | • |
| Colour-coded mirrors | • | • | • |
| Colour-coded door handles | • | • | • |
| Mud flaps | • | • | • |
| Side step | • | • | • |
| Integrated bonnet scoop | • | • | • |
| Indicator on ORVM | - | • | • |
| Side mouldings | • | • | • |

| Comfort and convenience | S6 4X2 & 4X4 | S10 4X2 & 4X4 | S11 4X2 & 4X4 |
|--|--------------|---------------|---------------|
| Air conditioner | Manual | Automatic | Automatic |
| Heated rear window/demister | • | • | • |
| Power windows | • | • | • |
| Electric mirrors (ORVMs) | • | • | • |
| Power steering | • | • | • |
| Tilttable steering | • | • | • |
| Central locking | • | • | • |
| Keyless entry | • | • | • |
| 12V charging points - front and rear | • | • | • |
| Driver's seat height adjustment | • | • | • |
| Touch screen infotainment centre with Bluetooth, USB and AUX | - | • | • |
| Integrated audio system with USB and auxiliary | • | - | - |
| Navigation system | - | • | • |
| Cruise control | • | • | • |
| Steering mounted audio & cruise controls | - | • | • |
| One touch lane change indicator | • | • | • |
| Swivel interior reading lamps | • | • | • |
| Remote fuel cap (electrically operated) | • | • | • |
| Puddle lamps | - | • | • |
| Headrests | • | • | • |
| Arm rest for driver and co-driver | • | • | • |
| Upholstery | Fabric | Fabric | Fabric |
| Illuminated key ring | • | • | • |

| Safety | S6 4X2 & 4X4 | S10 4X2 & 4X4 | S11 4X2 & 4X4 |
|-------------------------------------|--------------|---------------|---------------|
| Anti-lock Braking System (ABS) | • | • | - |
| Electronic Brake Distribution (EBD) | • | • | • |
| Seat belt pretensioner | • | • | • |
| Air-bags (driver/passenger) | • | • | • |
| Side impact protection bars | • | • | • |
| Collapsible steering column | • | • | • |
| Isofix child seat attachments | - | • | • |
| Seat belt reminder | • | • | • |
| Auto-locking doors | • | • | • |

| Technology | S6 4X2 & 4X4 | S10 4X2 & 4X4 | S11 4X2 & 4X4 |
|--------------------------------|--------------|---------------|---------------|
| Reverse camera | - | • | • |
| Digital immobiliser | • | • | • |
| Rain sensing windscreen wipers | - | • | • |
| Follow me home headlamps | • | • | • |
| Light sensing headlamps | - | • | • |
| Static bending headlamps | - | • | • |
| Android Auto | - | • | • |
| Apple Car Play | - | • | • |

| Technical data | S6 DC 4X2 & 4X4, S10 DC 4X2 & 4X4, S11 DC 4X2 & 4X4 |
|------------------------------------|---|
| Engine capacity | 2179 cc |
| Number of cylinders | 4 |
| Fuel type | Diesel |
| Aspiration | Turbocharger |
| Fuel injection type | Common rail |
| Bore x stroke | 85 x 96 mm |
| Compression ratio | 16.5:1 |
| Power output | 103 kW @ 3750 r/min |
| Torque output | 320 Nm @ 1500-2800 r/min |
| Fuel consumption - combined | 7.9 l/100km (2WD) / 7.9 l/100km (4WD) |
| CO2 Emission | 210 gm/km (2WD) / 211 gm/km (4WD) |
| Emission - Euro stage | Euro 2 |
| Drive type | 2WD / 4WD |
| Transmission | S6 & S10 6-speed manual / S11 6-speed automatic |
| Low range | Available on 4WD only |
| Mechanical differential lock | Rear axle MLD |
| Wheel rim size | 6.5J X 16" |
| Tyre size | 245/75R16 |
| Spare wheel | Full size spare |
| Spare wheel lock | Yes |
| GCM | 5650 kg |
| GVM | 3150 kg |
| Payload | 1095 kg (2WD) /995 kg (4WD) |
| Legal towing weight - braked | 2500 kg |
| Legal towing weight - unbraked | 750 kg |
| Overall length | 5175 mm |
| Overall width | 1820 mm |
| Overall height (unladen) | 1915 mm |
| Minimum ground clearance | 210 mm |
| Wheelbase | 3040 mm |
| Track - front | 1450 mm |
| Track - rear | 1450 mm |
| Approach angle | 34° |
| Breakover angle | 18° |
| Departure angle | 15° |
| Fuel tank capacity | 80 litres |
| Turning circle radius | 6.7 m |
| Load area (length x width x depth) | 1489 X 1520 X 550 mm |

| Warranty and service information | S6 DC 4X2 & 4X4, S10 DC 4X2 & 4X4, S11 DC 4X2 & 4X4 |
|--|---|
| Warranty | 4-Years/120 000 km |
| Service plan | 5-Years/90 000 km |
| Service intervals | 20 000 km |
| 1st service 10 000 km, thereafter every 20 000 km (with Maximile Oils) | |
| Roadside Assistance | 4-Years/120 000 km |

* Please note: This information is correct at the time of going to press, but performance may differ in conditions other than those in which tests were conducted. In view of our policy of continuously improving our products, we reserve the right to alter specifications and designs without prior notice and without liability. Please consult your local dealer for latest specifications.

** Service plan and roadside assistance not applicable to vehicle sales in Botswana, Zambia and Zimbabwe.





Customer Care: (012) 661 3159 / (012) 661 3161
Email: customercare@mahindra.co.za
www.mahindra.co.za

First Floor Block A Southdowns Ridge Office Park
John Vorster Drive (corner Nelmapius)
Southdowns Centurion
P O Box 69079 Highveld Park
0169 South Africa




PLEASE NOTE: Some of the equipment shown in this brochure may not be available on all models or in all markets. Some finishes and specifications are also not available in all markets. All specifications are subject to change without notice. Please contact your local dealer for the latest information.

DATE OF PUBLICATION: FEBRUARY 2020
PART NO: BROCHURE 000

MAHINDRA RECOMMENDS YOU USE ONLY



Mahindra. Always up for a challenge.



The new mzanzi app is now available
for care, maintenance and a lot more



INTRODUCING THE NEW

PIKUP KAROO *DUSK*

Mahindra
Rise.



Adventure begins at *DUSK*

Mahindra. Always up for a challenge. www.mahindra.co.za

*TERMS & CONDITIONS APPLY

YOUR ADVENTURE WITH THE MAHINDRA PIK UP DOUBLE CAB KAROO DUSK.

The Mahindra Pik Up Double Cab Karoo Dusk has been designed without compromise to be practical and strong, and loaded with the features you want. Generous on power with superb reliability, the Dusk has impeccable off-road credentials, and powered by Mahindra's legendary 2.2 litre, 4-cylinder mHawk turbodiesel engine. The six-speed automatic transmission delivers an impressive 103 kW of power and 320 Nm of torque, providing effortless acceleration and all the muscle you could ever need with consummate ease. The updated engineering is more fuel efficient too, and low on CO₂ emissions – a hallmark of Mahindra's cutting-edge technology. It has all the essential comforts and technological advances you would expect, from the four speaker touchscreen infotainment centre with Bluetooth, through to static bending headlamps that help you to see around dark corners. This comes with a contemporary new look including a restyled front mask with restyled headlamps and fog lamps. Conquer your next challenge with the Mahindra Pik Up Double Cab Karoo Dusk.





**SIX-SPEED AUTOMATIC
TRANSMISSION**

**7" CAPACITIVE TOUCHSCREEN
INFOTAINMENT CENTRE**

REVERSE CAMERA

TURN INDICATORS ON ORVMS
(outside rear-view mirrors)

**NEW AGGRESSIVE FRONT
GRILLE**

BOLT-ON CAB PROTECTOR

CRUISE CONTROL
**UPDATED LOOKS AND
STYLING**

**UPDATED PROJECTOR
HEADLAMPS**

REVERSE CAMERA

OFF-ROAD FRONT BUMPER



OFF-ROAD REAR BUMPER WITH TOW BAR



16 INCH ALLOY WHEELS
ALL TERRAIN TYRES



AUTOMATICALLY
ACTIVATED HAZARD
LIGHTS IN CASE OF
SUDDEN BRAKING

ORVMS WITH SIDE
TURN INDICATORS

ROLLER BARS WITH SECURE ROLLER
SHUTTER TONNEAU COVER

| Style features | S11 4X4 |
|---------------------------|---------|
| Front fog lamps | • |
| Dual projector headlamps | • |
| High-level brake light | • |
| Heated rear window | • |
| Colour-coded bumpers | • |
| Colour-coded mirrors | • |
| Colour-coded door handles | • |
| Mud flaps | • |
| Side step | • |
| Integrated bonnet scoop | • |
| Indicator on ORVM | • |
| Side mouldings | • |

| Comfort and convenience | S11 4X4 |
|--|-----------|
| Air conditioner | Automatic |
| Heated rear window/demister | • |
| Power windows | • |
| Electric mirrors (ORVMs) | • |
| Power steering | • |
| Tilttable steering | • |
| Central locking | • |
| Keyless entry | • |
| 12V charging points - front and rear | • |
| Driver's seat height adjustment | • |
| Touch screen infotainment centre with Bluetooth, USB and AUX | • |
| Integrated audio system with USB and auxiliary | • |
| Navigation system | • |
| Cruise control | • |
| Steering mounted audio & cruise controls | • |
| One touch lane change indicator | • |
| Swivel interior reading lamps | • |
| Remote fuel cap (electrically operated) | • |
| Puddle lamps | • |
| Headrests | • |
| Arm rest for driver and co-driver | • |
| Upholstery | Fabric |
| Illuminated key ring | • |

| Safety | S11 4X4 |
|-------------------------------------|---------|
| Anti-lock Braking System (ABS) | - |
| Electronic Brake Distribution (EBD) | • |
| Seat belt pretensioner | • |
| Air-bags (driver/passenger) | • |
| Side impact protection bars | • |
| Collapsible steering column | • |
| Isofix child seat attachments | • |
| Seat belt reminder | • |
| Auto-locking doors | • |

| Technology | S11 4X4 |
|--------------------------------|---------|
| Reverse camera | • |
| Digital immobiliser | • |
| Rain sensing windscreen wipers | • |
| Follow me home headlamps | • |
| Light sensing headlamps | • |
| Static bending headlamps | • |
| Android Auto | • |
| Apple Car Play | • |

| Technical data | S11 4X4 |
|------------------------------------|---|
| Engine capacity | 2179 cc |
| Number of cylinders | 4 |
| Fuel type | Diesel |
| Aspiration | Turbocharger |
| Fuel injection type | Common rail |
| Bore x stroke | 85 x 96 mm |
| Compression ratio | 16.5:1 |
| Power output | 103 kW @ 3750 r/min |
| Torque output | 320 Nm @ 1500-2800 r/min |
| Fuel consumption - combined | 7.9 l/100km (2WD) / 7.9 l/100km (4WD) |
| CO2 Emission | 210 gm/km (2WD) / 211 gm/km (4WD) |
| Emission - Euro stage | Euro 2 |
| Drive type | 2WD / 4WD |
| Transmission | S6 & S10 6-speed manual / S11 6-speed automatic |
| Low range | Available on 4WD only |
| Mechanical differential lock | Rear axle MLD |
| Wheel rim size | 6.5J X 16" |
| Tyre size | 245/75R16 |
| Spare wheel | Full size spare |
| Spare wheel lock | Yes |
| GCM | 5650 kg |
| GVM | 3150 kg |
| Payload | 1095 kg (2WD) / 995 kg (4WD) |
| Legal towing weight - braked | 2500 kg |
| Legal towing weight - unbraked | 750 kg |
| Overall length | 5175 mm |
| Overall width | 1820 mm |
| Overall height (unladen) | 1915 mm |
| Minimum ground clearance | 210 mm |
| Wheelbase | 3040 mm |
| Track - front | 1450 mm |
| Track - rear | 1450 mm |
| Approach angle | 34° |
| Breakover angle | 18° |
| Departure angle | 15° |
| Fuel tank capacity | 80 litres |
| Turning circle radius | 6.7 m |
| Load area (length x width x depth) | 1489 X 1520 X 550 mm |

| Warranty and service information | S11 4X4 |
|--|--------------------|
| Warranty | 4-Years/120 000 km |
| Service plan | 5-Years/90 000 km |
| Service intervals | 20 000 km |
| 1st service 10 000 km, thereafter every 20 000 km (with Maximile Oils) | |
| Roadside Assistance | 4-Years/120 000 km |

* Please note: This information is correct at the time of going to press, but performance may differ in conditions other than those in which tests were conducted. In view of our policy of continuously improving our products, we reserve the right to alter specifications and designs without prior notice and without liability. Please consult your local dealer for latest specifications.

** Service plan and roadside assistance not applicable to vehicle sales in Botswana, Zambia and Zimbabwe.

Mahindra
Rise.



MAHINDRA RECOMMENDS YOU USE ONLY



Customer Care: (012) 661 3159 / (012) 661 3161

Email: customercare@mahindra.co.za | Web: www.mahindra.co.za

First Floor Block A Southdowns Ridge Office Park
John Vorster Drive (corner Nelmapius), Southdowns Centurion
P O Box 69079 Highveld Park, 0169, South Africa

PLEASE NOTE: Some of the equipment shown in this brochure may not be available on all models or in all markets. Some finishes and specifications are also not available in all markets. All specifications are subject to change without notice. Please contact your local dealer for the latest information.

DATE OF PUBLICATION: SEPTEMBER 2021

PART NO: BROCHURE 000

#Mahindra
GreatValue
GreatService



Mahindra. Always up for a challenge.

*TERMS & CONDITIONS APPLY

The new mzanzi app is now available
for care, maintenance and a lot more



The Mahindra Pik Up. **Now assembled in** **South Africa.**



At home in South Africa

Mahindra
Rise.

The Next Generation Mahindra Pik Up has been designed to be strong and practical, with all the power you need to get the job done. Built in India to withstand the harsh conditions of the subcontinent it delivers strength and tenacity, with reliability you can depend on. A large load box with a maximum payload of 1200 kg¹, and a braked towing capacity of 2500 kg make it the hard working, dependable team player you've always wanted. The Next Generation Mahindra Pik Up comes with a restyled Mahindra signature front grille with chrome inserts, dual projector headlamps, an integrated air-scoop in the bonnet, and tough new wrap-around bumpers.

The Next Generation Mahindra Pik Up is powered by Mahindra's legendary 2.2 litre, 4-cylinder mHawk turbo-diesel engine. The new six-speed transmission delivers an impressive 103kW of power and 320Nm of torque, providing effortless acceleration and all the muscle you could ever need. The updated engineering is more fuel efficient too, and low on CO2 emissions - a hallmark of Mahindra's cutting-edge technology.

The Pik Up's Mechanical Locking Differential (MLD) is manufactured by the world renowned Eaton Corporation with its 'shift-on-the-fly' functionality further enhancing its off-road capabilities. It provides full axle lock automatically when needed without any manual intervention, providing the optimum traction for your situation.

1 - Payload: 4X2 = 1195 kg, 4X4 = 1095 kg.

THE HARDEST WORKER YOU'LL EVER HAVE ON YOUR TEAM.

just so



strong.



01 - The legendary mHawk turbo-diesel engine.

02 - Dual projector headlamps.

03 - The integrated bonnet scoop and restyled signature grille.

04 - The six-speed gearbox provides ample power whenever you need it.

05 - Tough new road-armour bumpers.

06 - The factory-fitted audio system features USB and auxilliary.²

07 - The cab is well ventilated with heater and fan³ or manual air-conditioner.²

08 - A12V charging point is mounted on the centre console.

09 - Dual airbags for driver and passenger.²

² - Features standard on S6 only. ³ - Standard on S4 only.

EVERYTHING YOU NEED: IN PLACE

The Next Generation Mahindra Pik Up has all that you will need in terms of comfort. Standard features include power steering, central locking² and a USB port. There is also a manual air conditioner² to help you keep your cool when things get hot. Other advances include the introduction of Micro-hybrid technology that enables the engine to intelligently switch into standby mode when not in use, saving both on fuel and the environment.

On the performance front, new Cushion Suspension and Anti-Roll Technology provide unparalleled stability and road holding, while ABS (anti-lock braking system)² with EBD (electronic brake distribution)² will keep you in control in hazardous situations.

Additional safety aspects of the Pik Up include dual front airbags and side impact protection bars. The engine immobiliser includes an encrypted key recognition system that will reject any foreign key accessing the vehicle. This is further supported by the anti-theft warning system to protect against illegal entry.

(ABS) ABS with EBD will keep you in control when you think you're losing control

² - Features standard on S6 only.

A comprehensive range of high quality accessories is available to enhance your vehicle - providing you with all that you could possibly need to go where you want to go and do what you need to do. Ask your dealer for more details.



10



11



12



13

10 - Towbar.

11 - Replacement side step.

12 - Front wrap-around bumper.

13 - Roll-bar with laser-cut logo detail.

| Features | S4 Dropside | S4 4X2 | S4 4X4 | S6 4X2 | S6 4X4 |
|---|-------------|--------|--------|--------|--------|
| New front grille with silver highlights | | | | • | • |
| Fog lamps, new round style with silver bezel | | | | • | • |
| New clear-lens side indicator with amber bulb | | | | • | • |
| New clear lens dual projector headlamps | | | | • | • |
| High-level brake light | • | • | • | • | • |
| One-touch lane change indicator | | | | • | • |
| Colour-coded bumpers | | | | • | • |
| Electric outside rear-view mirrors (ORVMs) | | | | • | • |
| Colour-coded mirrors | | | | • | • |
| Colour-coded door handles | | | | • | • |
| Mud flaps | • | • | • | • | • |
| Side step | • | • | • | • | • |
| Integrated bonnet scoop | • | • | • | • | • |
| Side mouldings | • | • | • | • | • |

| Comfort and convenience | S4 Dropside | S4 4X2 | S4 4X4 | S6 4X2 | S6 4X4 |
|--|-------------|----------|----------|--------|--------|
| Air conditioner (Manual control) | Optional | Optional | Optional | • | • |
| Heater and fan | • | • | • | | |
| Heated rear window demister | • | • | • | • | • |
| Power windows | | | | • | • |
| Power steering | • | • | • | • | • |
| Tilttable steering | • | • | • | • | • |
| Central locking | | | | • | • |
| Keyless entry | | | | • | • |
| 12V charging point on central bezel | • | • | • | • | • |
| Integrated audio system with USB & AUX | | | | • | • |
| Swivel interior reading lamps | • | • | • | • | • |
| Height adjustable driver's seat | | | | • | • |
| Arm rests for driver and passenger | | | | • | • |
| Headrests | • | • | • | • | • |
| Upholstery | Vinyl | Vinyl | Vinyl | Fabric | Fabric |
| Electrically operated fuel lid | | | | • | • |
| Illuminated key ring | • | • | • | • | • |

| Safety | S4 Dropside | S4 4X2 | S4 4X4 | S6 4X2 | S6 4X4 |
|-------------------------------------|-------------|--------|--------|--------|--------|
| Anti-Lock Braking System (ABS) | • | • | • | • | • |
| Electronic Brake Distribution (EBD) | | | | • | • |
| Seat Belt Pretensioner | | | | • | • |
| Air-Bags (Driver Passenger) | | | | • | • |
| Side impact protection bars | • | • | • | • | • |
| Collapsible steering column | | | | • | • |
| Crash bar | • | • | • | • | • |
| Seat belt reminder | • | • | • | • | • |
| Auto-locking doors | | | | • | • |

| Technology | S4 Dropside | S4 4X2 | S4 4X4 | S6 4X2 | S6 4X4 |
|-----------------------------|-------------|--------|--------|--------|--------|
| Micro hybrid (Start/stop) | • | • | • | • | • |
| Cruise control | | | | • | • |
| Digital immobiliser | • | • | • | • | • |
| Follow me home headlamps | | | | • | • |
| Automatic headlamp reminder | | | | • | • |

* Please note: This information is correct at the time of going to press, but performance may differ in conditions other than those in which tests were conducted. In view of our policy of continuously improving our products, we reserve the right to alter specifications and designs without prior notice and without liability. Please consult your local dealer for latest specifications.

** Service plan not applicable to vehicle sales in Botswana, Zambia and Zimbabwe.

| Technical data | S4 & S6 4X2 & 4X4 | |
|--------------------------------|---|--|
| Engine capacity | 2179 cc | |
| Number of cylinders | 4 | |
| Fuel type | Diesel | |
| Aspiration | Turbocharger | |
| Fuel injection type | Common rail | |
| Bore x stroke | 85 x 96 mm | |
| Compression ratio | 16.5:1 | |
| Number of cylinders | 4 | |
| Power output | 103 kW @ 3750 r/min | |
| Torque output | 320 Nm @ 1500 - 2800 r/min | |
| Fuel consumption - combined | 7.7 l/100km (2WD) / 7.9 l/100km (4WD) | |
| CO2 Emission | 204 gm/km (2WD) / 210gm/km (4WD) | |
| Emission - Euro stage | Euro 2 | |
| Drive type | 2WD / 4WD | |
| Transmission | 6-speed manual | |
| Low range | Available on 4WD only | |
| Mechanical differential lock | Rear axle MLD | |
| Wheel rim size | 6.5J X 16" | |
| Tyre size | 245/75R16 | |
| Spare wheel | Full size spare | |
| Spare wheel lock | Yes | |
| GCM | 5650 kg | |
| GVM | 3150 kg | |
| Payload | 1195kg (2WD) / 1095kg (4WD) | |
| Legal towing weight - braked | 2500kg | |
| Legal towing weight - unbraked | 750kg | |
| Overall length | 5175 mm | |
| Overall width | 1820 mm | |
| Overall height (unladen) | 1860 mm | |
| Minimum ground clearance | 210 mm | |
| Wheelbase | 3040 mm | |
| Track - front | 1450 mm | |
| Track - rear | 1450 mm | |
| Approach angle | 34° | |
| Breakover angle | 18° | |
| Departure angle | 15° | |
| Fuel tank capacity | 80 litres | |
| Turning radius | 6.7 m | |
| Load area dimensions - Pick Up | Length 2294 mm, Width 1520 mm, Depth 550 mm | |
| Outside dimensions - Dropside | Length 2400 mm, Width 1680 mm, Height 1060 mm | |

| Warranty and service information | S4 Dropside / S4 4X2 & 4X4 | S6 4X2 & 4X4 |
|--|----------------------------|---------------------|
| Warranty | 4-Years/ 120 000 km | 4-Years/120 000 km |
| Service plan * * | Optional | 5-Years/ 90 000 km |
| Service intervals | 20 000 km | 20 000 km |
| 1st service 10 000 km, thereafter every 20 000 km (with Maximile Oils) | | |
| Roadside Assistance** | 4-Years/ 120 000 km | 4-Years/ 120 000 km |



Customer Care: (012) 661 3159 / (012) 661 3161

Email: customercare@mahindra.co.za

www.mahindra.co.za

First Floor Block A Southdowns Ridge Office Park
John Vorster Drive (corner Nelmapius)
Southdowns Centurion
P O Box 69079 Highveld Park
0169 South Africa



PLEASE NOTE: Some of the equipment shown in this brochure may not be available on all models or in all markets. Some finishes and specifications are also not available in all markets. All specifications are subject to change without notice. Please contact your local dealer for the latest information.

DATE OF PUBLICATION: MAY 2020

PART NO: BROCHURE 030

MAHINDRA RECOMMENDS YOU USE ONLY



Mahindra. Always up for a challenge.



The new mzanzi app is now available
for care, maintenance and a lot more



mahindra^{Rise}

New Mahindra SC Karoo.

Assembled in South Africa.



At home in South Africa

Mahindra. Unleash the Explorer in You.

THE HARDEST WORKER YOU'LL

The Mahindra Pik Up has been designed to be strong and practical, with all the power you need to get the job done. Built in India to withstand the harsh conditions of the subcontinent it delivers strength and tenacity, with reliability you can depend on. A large load box with a maximum payload of 1110 kg¹, and a braked towing capacity of 2500 kg make it the hard working, dependable team player you've always wanted. The Mahindra Pik Up comes with a restyled Mahindra signature front grille with chrome inserts, dual projector headlamps, an integrated air-scoop in the bonnet, and tough new wrap-around bumpers.

The Mahindra Pik Up is powered by Mahindra's legendary 2.2 litre, 4-cylinder mHawk turbo-diesel engine. The six-speed transmission delivers an impressive 103kW of power and 320Nm of torque, providing effortless acceleration and all the muscle you could ever need. The updated engineering is more fuel efficient too, and low on CO₂ emissions - a hallmark of Mahindra's cutting-edge technology.

The Pik Up's Mechanical Locking Differential (MLD) is manufactured by the world renowned Eaton Corporation with its 'shift-on-the-fly' functionality further enhancing its off-road capabilities. It provides full axle lock automatically when needed without any manual intervention, providing the optimum traction for your situation.

¹ - Payload: 4X2 = 1110 kg, 4X4 = 1000 kg.



01



02

EVER HAVE ON YOUR TEAM.



- 01 - The legendary mHawk turbo-diesel engine.
- 02 - The six-speed gearbox provides ample power whenever you need it.
- 03 - Projector headlamps.
- 04 - The integrated bonnet scoop and restyled signature grille.

- 05 - Nudge bar.
- 06 - Replacement side step.
- 07 - Roll-bar with laser-cut logo detail.
- 08 - Towbar.

- 09 - The factory-fitted audio system features USB and auxilliary.²
- 10 - The cab is well ventilated with heater and fan³ or manual air-conditioner.²
- 11 - A12V charging point is mounted on the centre console.
- 12 - Dual airbags for driver and passenger.²

JUST SO STRONG.

EVERYTHING YOU NEED: IN PLACE

The Mahindra Pik Up has all that you will need in terms of comfort. Standard features include power steering, central locking² and a USB port. There is also a manual air conditioner² to help you keep your cool when things get hot. Other advances include the introduction of Micro-hybrid technology that enables the engine to intelligently switch into standby mode when not in use, saving both on fuel and the environment.

On the performance front, Cushion Suspension and Anti-Roll Technology provide unparalleled stability and road holding, while ABS (anti-lock braking system)² with EBD (electronic brake distribution)² will keep you in control in hazardous situations.

Additional safety aspects of the Pik Up include dual front airbags and side impact protection bars. The engine immobiliser includes an encrypted key recognition system that will reject any foreign key accessing the vehicle. This is further supported by the anti-theft warning system to protect against illegal entry.

A comprehensive range of high quality accessories is available to enhance your vehicle - providing you with all that you could possibly need to go where you want to go and do what you need to do. Ask your dealer for more details.

KAROO EXTRAS:

- Nudge Bar • Sports bar • Tonneau cover - Framed
- Rubberised Load Bin • Karoo Decals • Blackouts
- Alloy wheels - Karoo • Rubber mats •

² - Features standard on S6 only

² - Features standard on S6 only ³ - Standard on S4 only



ABS with EBD will keep you in control when you think you're losing control



| Features | S4 Dropside | S4 4X2 | S4 4X4 | S6 4X2 | S6 4X4 | S6 Karoo |
|---|-------------|--------|--------|--------|--------|----------|
| New front grille with silver highlights | | | | • | • | • |
| Fog lamps, new round style with silver bezel | | | | • | • | • |
| New clear-lens side indicator with amber bulb | | | | • | • | • |
| New clear lens dual projector headlamps | | | | • | • | • |
| High-level brake light | • | • | • | • | • | • |
| One-touch lane change indicator | | | | • | • | • |
| Colour-coded bumpers | | | | • | • | • |
| Electric outside rear-view mirrors (ORVMs) | | | | • | • | • |
| Colour-coded mirrors | | | | • | • | • |
| Colour-coded door handles | | | | • | • | • |
| Mud flaps | • | • | • | • | • | • |
| Side step | • | • | • | • | • | • |
| Integrated bonnet scoop | • | • | • | • | • | • |
| Side mouldings | • | • | • | • | • | • |

| Comfort and convenience | S4 Dropside | S4 4X2 | S4 4X4 | S6 4X2 | S6 4X4 | |
|--|-------------|----------|----------|--------|--------|--------|
| Air conditioner (Manual control) | Optional | Optional | Optional | • | • | • |
| Heater and fan | • | • | • | | | |
| Heated rear window demister | • | • | • | • | • | • |
| Power windows | | | | • | • | • |
| Power steering | • | • | • | • | • | • |
| Tiltable steering | • | • | • | • | • | • |
| Central locking | | | | • | • | • |
| Keyless entry | | | | • | • | • |
| 12V charging point on central bezel | • | • | • | • | • | • |
| Integrated audio system with USB & AUX | | | | • | • | • |
| Swivel interior reading lamps | • | • | • | • | • | • |
| Height adjustable driver's seat | | | | • | • | • |
| Arm rests for driver and passenger | | | | • | • | • |
| Headrests | • | • | • | • | • | • |
| Upholstery | Vinyl | Vinyl | Vinyl | Fabric | Fabric | Fabric |
| Electrically operated fuel lid | | | | • | • | • |
| Illuminated key ring | • | • | • | • | • | • |

| Safety | S4 Dropside | S4 4X2 | S4 4X4 | S6 4X2 | S6 4X4 | |
|-------------------------------------|-------------|--------|--------|--------|--------|---|
| Anti-Lock Braking System (ABS) | | | | • | • | • |
| Electronic Brake Distribution (EBD) | | | | • | • | • |
| Seat Belt Pretensioner | | | | • | • | • |
| Air-Bags (Driver Passenger) | | | | • | • | • |
| Side impact protection bars | • | • | • | • | • | • |
| Collapsible steering column | | | | • | • | • |
| Crash bar | • | • | • | • | • | • |
| Seat belt reminder | • | • | • | • | • | • |
| Auto-locking doors | | | | • | • | • |

| Technology | S4 Dropside | S4 4X2 | S4 4X4 | S6 4X2 | S6 4X4 | |
|-----------------------------|-------------|--------|--------|--------|--------|---|
| Micro hybrid (Start/stop) | • | • | • | • | • | • |
| Cruise control | | | | • | • | • |
| Digital immobiliser | • | • | • | • | • | • |
| Follow me home headlamps | | | | • | • | • |
| Automatic headlamp reminder | | | | • | • | • |

* Please note: This information is correct at the time of going to press, but performance may differ in conditions other than those in which tests were conducted. In view of our policy of continuously improving our products, we reserve the right to alter specifications and designs without prior notice and without liability. Please consult your local dealer for latest specifications.

** Service plan not applicable to vehicle sales in Botswana, Zambia and Zimbabwe.

| Technical data | S4 & S6 4X2 & 4X4 & Karoo | |
|--------------------------------|---|--|
| Engine capacity | 2179 cc | |
| Number of cylinders | 4 | |
| Fuel type | Diesel | |
| Aspiration | Turbocharger | |
| Fuel injection type | Common rail | |
| Bore x stroke | 85 x 96 mm | |
| Compression ratio | 16.5:1 | |
| Number of cylinders | 4 | |
| Power output | 103 kW @ 3750 r/min | |
| Torque output | 320 Nm @ 1500 - 2800 r/min | |
| Fuel consumption - combined | 7.7 l/100km (2WD) / 7.9 l/100km (4WD) | |
| CO ₂ Emission | 204 gm/km (2WD) / 210gm/km (4WD) | |
| Emission - Euro stage | Euro 2 | |
| Drive type | 2WD / 4WD | |
| Transmission | 6-speed manual | |
| Low range | Available on 4WD only | |
| Mechanical differential lock | Rear axle MLD | |
| Wheel rim size | 6.5J X 16" | |
| Tyre size | 245/75R16 | |
| Spare wheel | Full size spare | |
| Spare wheel lock | Yes | |
| GCM | 5650 kg | |
| GVM | 3150 kg | |
| Payload | 1110kg (2WD) /1000kg (4WD) | |
| Legal towing weight - braked | 2500kg | |
| Legal towing weight - unbraked | 750kg | |
| Overall length | 5175 mm | |
| Overall width | 1820 mm | |
| Overall height (unladen) | 1860 mm | |
| Minimum ground clearance | 210 mm | |
| Wheelbase | 3040 mm | |
| Track - front | 1450 mm | |
| Track - rear | 1450 mm | |
| Approach angle | 34° | |
| Breakover angle | 18° | |
| Departure angle | 15° | |
| Fuel tank capacity | 80 litres | |
| Turning radius | 6.7 m | |
| Load area dimensions - Pik Up | Length 2294 mm, Width 1520 mm, Depth 550 mm | |
| Outside dimensions - Dropside | Length 2400 mm, Width 1680 mm, Height 1060 mm | |

| Warranty and service information | S4 Dropside / S4 4X2 & 4X4 | S6 4X2 & 4X4 |
|--|----------------------------|---------------------|
| Warranty | 4-Years/120 000 km | 4-Years/120 000 km |
| Service plan** | Optional | 5-Years/90 000 km |
| Service intervals | 20 000 km | 20 000 km |
| 1st service 10 000 km, thereafter every 20 000 km (with Maximile Oils) | | |
| Roadside Assistance** | 4-Years/ 120 000 km | 4-Years/ 120 000 km |



Customer Care: ☎️ (012) 661 3161
Email: customercare@mahindra.co.za
www.mahindra.co.za

First Floor Block A Southdowns Ridge Office Park
John Vorster Drive (corner Nelmapius)
Southdowns Centurion
P O Box 69079 Highveld Park
0169 South Africa



PLEASE NOTE: Some of the equipment shown in this brochure may not be available on all models or in all markets. Some finishes and specifications are also not available in all markets. All specifications are subject to change without notice. Please contact your local dealer for the latest information.

DATE OF PUBLICATION: NOVEMBER 2023
PART NO: BROCHURE 17555

MAHINDRA RECOMMENDS YOU USE ONLY



Mahindra. Unleash the Explorer in You.
mahindra.co.za
Ts & Cs Apply.

The new mzanzi app is now available
for care, maintenance and a lot more

