

Contact Your Nearest Group1 Mahindra Dealership

Mahindra Midrand Gauteng 087 057 9788 Mahindra Kuils River Western Cape 021 903 0500

Mahindra Rivonia
Gauteng
011 808 3900

We Deliver Nationwide

www.group1mahindra.co.za


The legend of the Thar has been in the making for more than seventy years, the adventurer's car of choice, Mahindra's original all-terrain, come-what-may jeep.

With its classic body and contemporary features, the Thar is tougher than you could imagine. Armed with the Borg Warner 4WD System that provides 2.48 crawl ratio in low-range, its traditionally high approach and departure angles (44° and 27° respectively) with a 15° ramp over angle, great overall clearance at 200mm, a new mechanical locking rear differential and auto locking hubs, you and your Thar are ready to render the impossible possible.



BUILT TO TAKE ON ANYTHING!





Left: Approach and departure angles (vehicle shown with optional alloy



Early Mahindra vehicles assembled in front of the Kandivali factory, Mumbai (Circa 1949).

COMFORT AND CONVENIENCE


- O1 The Thar comes with a factory-fitted air conditioner and heater as standard, with multi-directional vents to keep you comfortable in any circumstances.
- O2 The front seats are wide and offer ample support to reduce strain when driving over long distances.











- 04 The floor-mounted centre console houses two cup holders.
- 05 The three-pod instrument cluster provides clear and easy to read information as you drive.

The extended wheel arches and toughened front and rear bumpers accentuate the Thar's rugged looks while protecting the bodywork from any damage. Clear lens headlamps provide powerful light over any terrain whilst the removable canvas canopy helps to immerse you in the natural world around you and experience the elements at close hand.

PRESENCE ON AND OFF-ROAD

It's not only about butch and brawn, though, as there is a factory fitted air conditioner and heater with multi-directional vents to keep you comfortable in any circumstances, wide front seats to reduce the strain of driving over long distances, and steering wheel and gear lever designed to fit your hands and positioned exactly as you need them.

Power steering makes manoeuvrability a breeze with a carlike turning circle of just 5.75m. The two-tone dashboard is attractive, whilst the three-pod instrument cluster provides all the information you need while you drive. There are even cup holders provided in the floor mounted centre console and a lockable glove compartment to keep your essentials safe from the wiles of nature.



TECHNOLOGY









O1 - Speak to your dealer about the comprehensive range of accessories available to make your Thar really your own. These include off-road tyres, snorkel, winch, grille protector, front bumper and hard top roof.

O2 - The NEF TCI-CRDe 2.5I turbo-diesel engine provides a perfect balance of power and torque (78kW and 247Nm respectively).

O3 - O4 - The manual shift-on-the-fly 4WD with high and low ratio, along with the closely matched ratios on the main geerbox enable the driver to maintain headway under most conditions.

The Thar features the NEF TCI-CRDe 2.5I turbo-diesel engine, providing a perfect balance of power and torque. It generates 78kW of power at 3,800 r/min and 247Nm of torque at 1,800 - 2,000 r/min, providing unmatched capability on any terrain. The manual shift-on-the-fly 4WD with high and low ratio, along with the closely matched ratios on the main gearbox enable the driver to maintain headway under most conditions, whilst the mechanical locking differential provides enhanced traction on loose and slippery surfaces without the need for pushbuttons, shift throws or other interventions. The auto-locking hubs disconnect the front axle when not required, reducing wear and tear and increasing fuel efficiency.

The factory-fitted digital immobiliser with encrypted key-recognition system provides individualised security to the Thar.

COLOURS AVAILABLE







RED RAGE DSAT SILVER ROCKY BEIGE

SPECIFICATIONS

NEF TCI-CRDe
Diesel
2,498 cc
4
94 x 90 mm 17.8:1
Turbocharged with Common Rail Injection
4 Valves per Cylinder
79kW @ 3,800 r/min
247Nm @ 1,800 ~ 2,000 r/min
8,9l/100 km
4WD
5-speed manual
Yes
Mechanical Locking Differential (MLD) EATON
Auto-locking
Yes
Ladder frame chassis
IFS with Torsion Bar and Stabilizer Bar
Hydraulic, dual acting, telescopic
194 mm
Semi-elliptical Leaf Springs
Hydraulic, dual acting, telescopic
Dual hydraulic circuit with tandem master cylinder, vacuum assisted servo with auto slack adjuster
Dual hydraulic circuit with tandem master cylinder, vacuum assisted servo with auto slack adjuster 226 mm discs
226 mm discs
226 mm discs 282 mm drums
226 mm discs
226 mm discs 282 mm drums 3,920 mm 2,430 mm
226 mm discs 282 mm drums 3,920 mm 2,430 mm 1,930 mm
226 mm discs 282 mm drums 3,920 mm 2,430 mm 1,930 mm 1,726 mm
226 mm discs 282 mm drums 3,920 mm 2,430 mm 1,930 mm 1,726 mm 1,445 mm
226 mm discs 282 mm drums 3,920 mm 2,430 mm 1,930 mm 1,726 mm 1,445 mm 1,346 mm
226 mm discs 282 mm drums 3,920 mm 2,430 mm 1,930 mm 1,726 mm 1,445 mm 1,346 mm 200 mm
226 mm discs 282 mm drums 3,920 mm 2,430 mm 1,726 mm 1,445 mm 1,346 mm 200 mm 44 deg
226 mm discs 282 mm drums 3,920 mm 2,430 mm 1,930 mm 1,726 mm 1,445 mm 1,346 mm 200 mm 44 deg 27 deg
226 mm discs 282 mm drums 3,920 mm 2,430 mm 1,930 mm 1,726 mm 1,445 mm 1,346 mm 200 mm 44 deg 27 deg 15 deg
226 mm discs 282 mm drums 3,920 mm 2,430 mm 1,930 mm 1,726 mm 1,445 mm 1,346 mm 200 mm 44 deg 27 deg 15 deg 500 mm
226 mm discs 282 mm drums 3,920 mm 2,430 mm 1,930 mm 1,726 mm 1,445 mm 1,346 mm 200 mm 44 deg 27 deg 15 deg 500 mm 60 litres
226 mm discs 282 mm drums 3,920 mm 2,430 mm 1,930 mm 1,726 mm 1,445 mm 1,346 mm 200 mm 44 deg 27 deg 15 deg 500 mm 60 litres 6,5J x 16 steel, full wheel caps, 235/70 R16 tyres
226 mm discs 282 mm drums 3,920 mm 2,430 mm 1,930 mm 1,726 mm 1,445 mm 1,346 mm 200 mm 44 deg 27 deg 15 deg 500 mm 60 litres 6,5J x 16 steel, full wheel caps, 235/70 R16 tyres 5,75 m
226 mm discs 282 mm drums 3,920 mm 2,430 mm 1,930 mm 1,726 mm 1,445 mm 1,346 mm 200 mm 44 deg 27 deg 15 deg 500 mm 60 litres 6,5J x 16 steel, full wheel caps, 235/70 R16 tyres 5,75 m 2,200 kg
226 mm discs 282 mm drums 3,920 mm 2,430 mm 1,930 mm 1,726 mm 1,445 mm 1,346 mm 200 mm 44 deg 27 deg 15 deg 500 mm 60 litres 6,5J x 16 steel, full wheel caps, 235/70 R16 tyres 5,75 m 2,200 kg 2,950 kg
226 mm discs 282 mm drums 3,920 mm 2,430 mm 1,930 mm 1,726 mm 1,445 mm 1,346 mm 200 mm 44 deg 27 deg 15 deg 500 mm 60 litres 6,5J x 16 steel, full wheel caps, 235/70 R16 tyres 5,75 m 2,200 kg

EXTERIOR FEATURES	
	Iconic, body-colour 6-slat grille
	Black fender extensions and styled front bumper
	Black side steps
	Black side rear view mirrors (manual)
	Removable black canvass canopy
	Style line pressed into front doors
	Chrome badging
	Spare wheel on rear tailgate
	Clear lens headlamps
	Manual locking fuel flap
	Emergency recovery points front and rear
INTERIOR FEATURES	Flexible mud-flaps front and rear
INTERIOR FEATURES	Front hypligh cooks with 2 point pofety holls
	Front bucket seats with 3-point safety belts
	Adjustable headrests Durable cloth seat trim
	Dual-tone dashboard
	Floor console with cup holders
	3-pod instrument cluster with chromed bezels
	Rubber floor covering in cabin front
	Side impact beams
	Dash-mounted passenger assist grip
	Day/night rear view mirror
	Silver accented bezels around air vents
	Manual window winders
	Thick-grip steering wheel with silver insert
COMFORT AND CONVENIENCE	
	Air conditioner
	3-speed fan and front demister
	2-speed windscreen wipers with intermittent wipe
	Power steering
	Digital immobilizer
	Backlit instrumentation with digital odometer
	Lockable glove-box
	12V power outlet
	Low fuel warning light
	Seat belt warning light
COLOURS	
	Dsat Silver
	Red Rage
	Rocky Beige
OPTIONAL EQUIPMENT	
	Fixed canopies (Steel, fibreglass, aluminium)
	Rollbar
	Audio system (dealer only option)
SERVICE & WARRANTY	
Warranty	2-years / 50,000 km
Service plan	3-years / 60,000 km optional service plan



Customer Care: (012) 661 3159 / (012) 661 3161

Email: customercare@mahindra.co.za

www.mahindra.co.za

1st Floor Block C Eco Fusion 6 324 Witch Hazel Street Highveld X59 P O Box 69079 Highveld Park 0169 South Africa

Facebook - MahindraSA

Twitter - @MahindraSA

Google+

YouTube

Instagram

PLEASE NOTE: Some of the equipment shown in this brochure may not be available on all models or in all markets. Some finishes and specifications are also not available in all markets. All specifications are subject to change without notice. Please contact your local dealer for the latest information.

Date of Publication: OCTOBER 2016

Part No:

BROCHURE 025



MAHINDRA RECOMMENDS YOU USE ONLY

